

MATERIAL SAFETY DATA SHEET

PEST CONTROL PRODUCT SAFETY INFORMATION REGULATIONS

SECTION 1 PRODUCT & COMPANY IDENTIFICATION

ROZOL® RTU Field Rodent Bait Ready-To-Use

PCP No. 29545 (commercial), registered 7 January 2010

Other Designation: Anticoagulant rodenticide with Chlorophacinone
Manufacturer: Liphatech, Inc.
3600 W. Elm Street, Milwaukee, WI 53209
Emergency Phone: 414-351-1476 Monday-Friday, 8:00 am-4:30 pm CST
After Hours: Call CHEMTREC at 1-800-424-9300

SECTION 2 HAZARDS IDENTIFICATION

Emergency Overview: May be harmful or fatal if swallowed or absorbed through the skin, because this material may reduce the clotting ability of the blood and cause bleeding.

Primary Entry Routes: Oral (swallowing), dermal (absorption through skin)

Acute Effects (Signs and Symptoms of Overexposure):

- **Eyes:** May cause temporary eye irritation.
 - **Skin:** May be harmful if absorbed through skin. Symptoms of toxicity include lethargy, loss of appetite, reduced blood clotting ability and bleeding.
 - **Inhalation:** Due to this product's solid form, inhalation is unlikely.
 - **Ingestion:** May be harmful if swallowed. Symptoms of toxicity include lethargy, loss of appetite, reduced clotting ability of blood, and bleeding.
- Chronic Effects:** Prolonged and/or repeated exposure to small amounts of product can produce cumulative toxicity. Symptoms of toxicity include lethargy, loss of appetite, reduced clotting ability of blood, and bleeding. May aggravate existing bleeding disorders.

SECTION 3 INGREDIENT INFORMATION

Hazardous Ingredient:	CAS Number:	OSHA PEL:	ACGIH TLV:	ACGIH STEL:
Chlorophacinone	3691-35-8	Not assigned	Not assigned	Not assigned

SECTION 4 FIRST AID MEASURES

- Eyes:** Flush with water. Get medical attention if irritation persists.
- Skin:** Wash with soap and water. Get medical attention if irritation persists.
- Inhalation:** If inhaled, remove person to fresh air and get medical attention.
- Ingestion:** Call a physician or poison control center immediately. Take container, label or product name and Pest Control Products Act Registration Number with you when seeking medical attention. Give patient one or two glasses of water and induce vomiting by touching back of throat with a finger or blunt object; repeat until vomitus is clear. Do not induce vomiting or give anything by mouth to an unconscious person.
- Note to physician:** Vitamin K₁ in the form of intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments. Contains wheat - may cause allergic reaction in sensitive persons.

SECTION 5 FIRE FIGHTING MEASURES

- Conditions of flammability:** May burn at temperatures >190 °C. (375 °F.)
- Extinguishing media:** Use media suitable for the surrounding fire
- Hazardous combustion products:** Oxides of carbon
- Fire fighting instructions:** Firefighters should wear self-contained breathing apparatus (full facepiece) and full protective clothing.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Isolate and contain spill. Limit access to the spill area to necessary personnel. Do not allow spilled material to enter sewers, streams or other waters. Scoop up spilled material and place in a closed, labeled container for use or disposal.

SECTION 7 HANDLING AND STORAGE

Handling precautions: Do not get in eyes, on skin, or on clothing. Wash arms, hands, and face with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

Storage requirements: Store product not in use in original, tightly sealed container in a cool, dry, secure location inaccessible to children, pets, domestic animals or wildlife. Do not reuse empty container.

SECTION 8 EXPOSURE CONTROLS/ PERSONAL PROTECTION

Personal protective equipment: Use gloves when handling product and disposing of dead rodents, unconsumed bait and empty containers. No respirator required when used according to label instructions. Never eat, drink or smoke in work areas. Practice good personal hygiene after using this product. Launder contaminated clothing separate from street clothes.

Engineering controls: Special ventilation is not required for the normal handling and use of this product when following the label instructions.

Re-entry intervals: Not established

Exposure limits or biological limit values: Not established

SECTION 9 PHYSICAL & CHEMICAL PROPERTIES

Physical State, appearance and odor: Grains of wheat, green color, odor of raw grain. Odor threshold: Not determined

Specific Gravity: 1.25 g/cc
Water Solubility: Negligible
pH: Not applicable
% Volatile (Volume): Not applicable
Vapor Density: Not applicable
Vapor Pressure: Not applicable
Boiling Point: Not applicable
Freezing Point: Not applicable
Partition coefficient (n-octanol/water): Not applicable
Flash point (ASTM D92): >190 °C.
Auto-ignition temperature: Not determined
Explosive limits lower limit: Not applicable, Upper limit: Not applicable
Sensitivity to mechanical shock or static discharge: Not applicable

SECTION 10 STABILITY AND REACTIVITY

Conditions of chemical instability: None
Name of substance or class which is incompatible: None
Conditions of reactivity: None
Hazardous Products of Decomposition: Oxides of carbon

SECTION 11 TOXICOLOGICAL INFORMATION

Route of entry, effects of exposure: See Section 2

Eye Effects/Eye Irritation: Mild, transient irritant

Acute Oral Effects: LD₅₀ (oral-rat): >5000 mg/kg

Acute Inhalation Effects: No data available

Acute Dermal Effects: LD₅₀ (dermal-rabbit): >2000 mg/kg

Skin Irritation: Non-irritating

Sensitization: Not a skin sensitizer or respiratory sensitizer

Carcinogenicity and mutagenicity: No

Teratogenicity and embryotoxicity: No

Reproductive toxicity: No

SECTION 12 ECOLOGICAL INFORMATION

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Treated baits should be placed in tamper-resistant bait stations, or in locations not accessible to children, pets, wildlife or domestic animals. To reduce exposure of non-target birds and other wildlife to poisoned carcasses, dead rodents should be securely wrapped and placed in closed containers and disposed of at Provincial sites, where available, or at municipal landfill sites. Otherwise, securely wrap carcasses and bury to a depth that will make them inaccessible to scavengers.

SECTION 13 DISPOSAL CONSIDERATIONS

Do not contaminate water, food or feed by disposal. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements.

SECTION 14 TRANSPORT INFORMATION

This product is not regulated as a hazardous material for all modes of transportation within the U.S. and Canada.

Hazard Class, packing group, UN number: Not applicable

SECTION 15 REGULATORY INFORMATION

Read the entire product label before using this rodenticide. Carefully follow all cautions, directions and use restrictions on the label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

SECTION 16 OTHER INFORMATION

Prepared by: T. Schmit
Date: 13 January 2010

Information presented on this Material Safety Data Sheet is believed to be accurate at the time of publication. No warranty, expressed or implied, is made with regard to this information. This information may not be adequate for every application, and the user must determine the suitability of this information due to the manner/conditions of use, storage or local regulation.